

L Number	Hits	Search Text	DB	Time stamp
1	68525	stent or catheter or graft	USPAT	2002/08/23 19:20
2	986	(stent or catheter or graft) and (solvent same azeotrop\$3)	USPAT	2002/08/23 19:21
3	27	((stent or catheter or graft) and (solvent same azeotrop\$3)) and stent	USPAT	2002/08/23 19:24
4	27	427/2 1-2 31 ccls. and azeotrop\$3	USPAT	2002/08/23 19:28
5	248	427/2 1-2 31 ccls. and (mixture near4 solvents)	USPAT	2002/08/23 19:29
6	18	427/2 1-2 31 ccls. and (porous same hydrophobic same polymer)	USPAT	2002/08/23 19:29
7	70458	"18" and (mixture near3 solvents)	USPAT	2002/08/23 19:29
8	5	(427/2 1-2 31 ccls. and (porous same hydrophobic same polymer)) and (mixture near3 solvents)	USPAT	2002/08/23 19:32
9	145	stent same (ePTFE or "expanded PTFE" or "expanded poly\$2tetra\$2fluoro\$2ethylene" or (porous same PTFE) or (porous same "expanded poly\$2tetra\$2fluoro\$2ethylene"))	USPAT	2002/08/23 19:34
10	32	(stent same (ePTFE or "expanded PTFE" or "expanded poly\$2tetra\$2fluoro\$2ethylene" or (porous same PTFE) or (porous same "expanded poly\$2tetra\$2fluoro\$2ethylene")) and heparin	USPAT	2002/08/23 19:35
11	0	(stent same (ePTFE or "expanded PTFE" or "expanded poly\$2tetra\$2fluoro\$2ethylene" or (porous same PTFE) or (porous same "expanded poly\$2tetra\$2fluoro\$2ethylene")) and (solvent same wet same solubil\$4)	USPAT	2002/08/23 19:35
12	7	(stent same (ePTFE or "expanded PTFE" or "expanded poly\$2tetra\$2fluoro\$2ethylene" or (porous same PTFE) or (porous same "expanded poly\$2tetra\$2fluoro\$2ethylene")) and (solvent same (combination or mixture))	USPAT	2002/08/23 19:36